

AD 2.1 AERODROME LOCATION INDICATOR AND NAME**LCEN LEFKOŞA/ERCAN INTERNATIONAL****LCEN AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA**

1	ARP coordinates and site at AD	350856N-0332959E (WGS84)
2	Direction and distance from (city)	27 km bearing 102° from city center
3	Elevation/Reference temperature	402 FT MSL 35° C
4	MAG VAR/Annual change	3°27'E (2005)
5	AD Administration, address, telephone, telefax, telex, AFS	Civil Aviation Department Ercan Airport via Mersin 10 TURKEY Tel :+90.392.2314703 Fax:+90.392.2314685 AFS:LCENYDYX
6	Types of traffic permitted (IFR/VFR)	IFR/VFR
7	Remarks	

LCEN AD 2.3 OPERATIONAL HOURS

1	AD Administration	H24
2	Customs and immigration	H24
3	Health and sanitation	H24
4	AIS Briefing Office	H24
5	ATS Reporting Office (ARO)	H24
6	MET Briefing Office	H24 Tel :+90.392.2314651 Fax:+90.392.2284250
7	ATS	H24
8	Fueling	H24
9	Handling	H24
10	Security	H24
11	De-icing	-
12	Remarks	-

LCEN AD 2.4 HANDLING SERVICES AND FACILITIES

1	<i>Cargo-handling facilities</i>	<i>Vehicles and equipment provided by KTHY Istanbul Airlines Service Co</i>
2	<i>Fuel/oil types</i>	<i>Piston(100-130), Turbine:Jet A1</i>
3	<i>Fuelling facilities/capacity</i>	<i>By tanker unlimited</i>
4	<i>De-icing facilities</i>	<i>NIL</i>
5	<i>Hangar space for visiting aircraft</i>	<i>NIL</i>
6	<i>Repair facilities for visiting aircraft</i>	<i>Repair avbl for aircraft by arrangement with KTHY and Istanbul Airlines</i>
7	<i>Remarks</i>	<i>-</i>

LCEN AD 2.5 PASSENGER FACILITIES

1	<i>Hotels</i>	<i>In Lefkoşa</i>
2	<i>Restaurants</i>	<i>Available at the airport</i>
3	<i>Transportation</i>	<i>Taxis</i>
4	<i>Medical facilities</i>	<i>Medical room for first aid treatment, ambulances, hospital in Lefkoşa</i>
5	<i>Bank and Post Office</i>	<i>NIL</i>
6	<i>Tourist Office</i>	<i>H24</i>
7	<i>Remarks</i>	<i>-</i>

LCEN AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	<i>AD category for fire fighting</i>	<i>CAT VII RWY foaming not available</i>
2	<i>Rescue equipment</i>	<i>Not available</i>
3	<i>Capability for removal of disabled aircraft</i>	<i>Vehicles are provided from public organisation</i>
4	<i>Remarks</i>	<i>-</i>

LCEN AD 2.7 SEASONAL AVAILABILITY — CLEARING

1	<i>Types of clearing equipment</i>	<i>Not available</i>
2	<i>Clearance priorities</i>	<i>Not available</i>
3	<i>Remarks</i>	<i>Information on RWY affected by standing water not associated with snow or ice disseminated by NOTAM</i>

LCEN AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	<i>Apron surface and strength</i>	<i>Apron I (terminal) Surface:Concrete PCN 100/R/D/X/T</i>	<i>Apron II(south) AsphaltStrength: PCN 49/F/C/X/U</i>
2	<i>Taxiway width, surface and strength</i>	<i>Width (A):23m. Surface:Asphalt Strength:PCN 80/F/C/X/T</i>	<i>Asphalt PCN49/F/C/X/U</i>
3	<i>ACL location and elevation</i>	<i>Not available</i>	
4	<i>VOR/INS checkpoints</i>	<i>NIL</i>	
5	<i>Remarks</i>	<i>NIL</i>	

LCEN AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	<i>Use of aircraft stand ID signs, TWY guide lines and visual docking/ parking guidance system of aircraft stands</i>	<i>Available</i>
2	<i>RWY and TWY markings and LGT</i>	<i>Available</i>
3	<i>Stop bars</i>	<i>NIL</i>
4	<i>Remarks</i>	<i>NIL</i>

LCEN AD 2.10 AERODROME OBSTACLES

<i>In approach/TKOF areas</i>			<i>In circling area and at AD</i>		<i>Remarks</i>
<i>1</i>			<i>2</i>	<i>3</i>	
<i>RWY/area affected</i>	<i>Obstacle type Elevation Markings/LGT</i>	<i>Coordinates</i>	<i>Obstacle type Elevation Markings/LGT</i>	<i>Coordinates</i>	
<i>a</i>	<i>b</i>	<i>c</i>	<i>a</i>	<i>b</i>	

LCEN AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Available
2	Hours of service MET Office outside hours	H24
3	Office responsible for TAF preparation Periods of validity	Available 9-18 hours
4	Type of landing forecast Interval of issuance	TREND-H24
5	Briefing/consultation provided	Personnal briefing
6	Flight documentation Language(s) used	TURKISH-ENG
7	Charts and other information available for briefing or consultation	S,U85,U70,U50,U30
8	Supplementary equipment available for providing information	Telefax,self briefing terminal
9	ATS units provided with information	ERCAN APP, ERCAN TWR
10	Additional information (limitation of service, etc.)	NIL

LCEN AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE & MAG BRG	Dimensions of RWY (M)	Strength (PCN) and surface of RWY and SWY	THR coordinates	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
11	110	2755X45	PCN 80 F/C/X/T RWY:Composite SWY:Asphalt	350935N 0332915E	116.73m.
29	290	2755X45	PCN 80F/C/X/T RWY:Composite SWY:Asphalt	350902N 0333056E	108.51m

Slope of RWY-SWY	SWY dimension s (M)	CWY dimensions (M)	Strip dimensions (M)	OFZ	Remarks
7	8	9	10	11	12
RWY11 0.3%	60X45	-	2874X300	-	-
RWY29 07%	60X45	-	2874X300	-	-

LCEN AD 2.13 DECLARED DISTANCES

<i>RWY Designator</i>	<i>TORA (M)</i>	<i>TODA (M)</i>	<i>ASDA (M)</i>	<i>LDA (M)</i>	<i>Remarks</i>
1	2	3	4	5	6
11	2755	2755	3028	2755	-
29	2755	2755	3028	2755	-
16	1800	1800	1860	1800	Unusable
34	1800	1800	1860	1800	Unusable

LCEN AD 2.14 APPROACH AND RUNWAY LIGHTING

<i>RWY Designator</i>	<i>APCH LGT type</i>	<i>THR LGT colour</i>	<i>VASIS (MEHT) PAPI</i>	<i>TDZ, LGT LEN</i>	<i>RWY Centre Line LGT Length, spacing, colour, INTST</i>	<i>RWY edge LGT LEN, spacing colour INTST</i>	<i>RWY End LGT colour</i>	<i>SWY LGT LEN (M) colour</i>	<i>Remarks</i>
1	2	3	4	5	6	7	8	9	10
11	VASIS	Green	VASIS 3°	NIL	-	White25m.2 755m	Red	-	-
29	Precision Approach CAT 1	Green	VASIS 3° 2 BAR		-	White25m.2 755m	Red	-	-

LCEN AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	<i>ABN/IBN location, characteristics and hours of operation</i>	<i>ABN W,G H24</i>
2	<i>LDI location and LGT Anemometer location and LGT</i>	<i>LDI'T'=LGTD H24</i>
3	<i>TWY edge and centre line lighting</i>	<i>TWY edge lights H24</i>
4	<i>Secondary power supply/switch-over time</i>	<i>A-0 second B-6 second</i>
5	<i>Remarks</i>	<i>NIL</i>

LCEN AD 2.16 HELICOPTER LANDING AREA

1	<i>Coordinates TLOF or THR of FATO</i>	-
2	<i>TLOF and/or FATO elevation M/FT</i>	-
3	<i>TLOF and FATO area dimensions, surface, strength, marking</i>	-
4	<i>True and MAG BRG of FATO</i>	-
5	<i>Declared distance available</i>	-
6	<i>APP and FATO lighting</i>	-
7	<i>Remarks</i>	-

LCEN AD 2.17 ATS AIRSPACE

1	<i>Designation and lateral limits</i>	<i>ECN CTR centered 350858N-0332913E radius 10NM</i>
2	<i>Vertical limits</i>	<i>SFC to 2000FT/AMSL</i>
3	<i>Airspace classification</i>	-
4	<i>ATS unit call sign Language(s)</i>	<i>ERCAN TWR Turkish, English</i>
5	<i>Transition altitude</i>	<i>6000 FT</i>
6	<i>Remarks</i>	<i>Make circling approach north of aerodrome</i>

LCEN AD 2.18 ATS COMMUNICATION FACILITIES

<i>Service designation</i>	<i>Call sign</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Remarks</i>
1	2	3	4	5
TWR	ERCAN	120.2MHZ	H24	-
APP	ERCAN	126.9MHZ 121.5MHZ	H24	-
SAR	ERCAN RCC	121.5 MHZ (VHF) 243.0 MHZ (UHF) 2182 KHZ (HF)	H24	-

LCEN AD 2.19 RADIO NAVIGATION AND LANDING AIDS

<i>Type of aid, CAT of ILS/MLS (For VOR/ILS/ MLS, give VAR)</i>	<i>ID</i>	<i>Frequency</i>	<i>Hours of operation</i>	<i>Site of transmitting antenna coordinates</i>	<i>Elevation of DME trans- mitting antenna</i>	<i>Remarks</i>
1	2	3	4	5	6	7
VOR/DME(3°E)		117.0 MHZ	H24	350924N	40m.	Coverage 200NM
	ECN	CH117X		0332929E		
NDB		290 KHZ	H24	350924N	140m	Coverage 100NM
				0332929E		

LCEN AD 2.20 LOCAL TRAFFIC REGULATIONS

NIL

LCEN AD 2.21 NOISE ABATEMENT PROCEDURES

NIL

LCEN AD 2.22 FLIGHT PROCEDURES

NIL

LCEN AD 2.23 ADDITIONAL INFORMATION

NIL

LCGK AD 2.24 CHARTS RELATED TO ERCAN AERODROME

PAGE

Landing Chart	AD 2 LCEN LDG
Aerodrome Chart	AD 2 LCEN ADC
Parking Chart	AD 2 LCEN PRKG
Standart Departure Chart (SID)	AD 2 LCEN SID-1
Standart Arrival Chart (STAR)	AD 2 LCEN STAR-1
Instrument Approach Chart NDB RWY 29	AD 2 LCEN IAC-1
Instrument Approach Chart VOR RWY 29	AD 2 LCEN IAC-2
Instrument Approach Chart VOR/DME 1 RWY 29	AD 2 LCEN IAC-3
Instrument Approach Chart VOR/DME 2 RWY 29	AD 2 LCEN IAC-4
Instrument Approach Chart VOR/DME 3 RWY 29	AD 2 LCEN IAC-5